


Cabinet Floor Mount



Description

DME PROLINK's range of 42U cabinets are available in any number of configurations to suit any environment or application.

Features & Benefits

- ✓ Static loading capability of up to 800kg.
- ✓ Width 600 or 800mm.
- ✓ Depth 600/800/960 or 1000mm.
- ✓ Removable side-panels and doors.
- ✓ Glass or metal front door options
- ✓ Top or bottom cable entry
- ✓ Fan assemblies
- ✓ Power strips
- ✓ Key-lock kits are available for added security
- ✓ Castors wheels

Cabinet Floor Mount

6-Way PDU




Cabinet with 2 shelves



Fan Tray with 4 Fans



Din Rail with "U" Markings



D	3	2	x	-	h	w	d	s	p	f	c
x					Pin assigned by ECS						
0-9					Inventory Management Index						
h						Height					
15						15U					
22						22U					
27						27U					
32						32U					
37						37U					
42						42U					
w						Width					
60						600					
80						800					
100						1000					
d						Depth					
60						600					
80						800					
100						1000					

D32x-hwdspfc

TECHNICAL DATA



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



D32x-hwdspfc

TECHNICAL DATA

D 3 2 x - h w d s p f c

s	Number of Shelves
1	1 Shelf
2	2 Shelves
3	3 Shelves
p	Number of PDU's
1	1 x 6-Way PDU
2	2 x 6-Way PDU's
f	Fans
0	No Fans
4	4 Fans
c	Color
WT	White
BK	Black
GY	Grey
BG	Beige



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



D32x-hwdspfc

TECHNICAL DATA

Web Site: www.ecsglobalwire.com

Corporate Head Office: 3135 - 6900 Graybar Road, Richmond, BC V6W 0A5, Canada • Phone: +1(604)276-9913 Fax: +1(604)276-9915. For a listing of all ECS Global Wire & Cable's Sales Office locations, please refer to our web site.

Middle East Office: Jebel Ali Free Zone (South), Dubai, United Arab Emirates • Phone: +971 (4) 811 8000 Fax: +971 (4) 8809360. Enquires to datacomm@ecsglobalwire.com.

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ECS Global Wire & Cable reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting ECS Global Wire & Cable's Regional Head Office in the UAE.

June 2011 Original © 2011 ECS Global Wire & Cable. All Rights Reserved

