

12U Cabinet Flush Mount ONT



Description

DME PROLINK's Optical Network Termination (ONT) Cabinet is designed and fabricated in accordance with global Service Provider requirements and conforms precisely to Du and Etisalat FTTx specifications.

The robust and durable design makes it easy to install and maintain. This flush-mount wall cabinet is available in a range of colors and dimensions to suit any number of user applications.

Features

- ✓ 12U Height
- ✓ Cabinet with Frame of dimension 636mm x 636mm (H x W)
- ✓ 600mm x 600mm (H x W) at rear of the cabinet
- ✓ Depth of 150mm
- ✓ Tempered Glass door with Steel side panels.
- ✓ Aesthetic design.
- ✓ Mechanical door-latch with lock
- ✓ Standard Colors (Grey & White)
(Other Colors available on request)



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



12U Cabinet Flush Mount ONT



Features continued

- ✓ 5 perforated entry-points on a removable Cable-entry plate on Top and Bottom.
- ✓ Adjustable 19" Mounting Profile.
- ✓ 5U Inner-mounting plate with Grid Mount.

D335-126015Yc

TECHNICAL DATA

D	3	3	5	-	1	2	6	0	1	5	Y	c
h		Height										
12		12U										
w		Width										
60		600										
d		Depth										
15		150										
l		Lock										
Y		Yes										
c		Color										
WT		Traffic White (RAL 9016)										
BK		Signal Black (RAL 9004)										
GY		Light Grey (RAL 7035)										
CR		Cream (RAL 9001)										
OW		Oyster White (RAL 1013)										
PW		Pure White (RAL 9010)										
SG		Signal Grey (RAL 7004)										
AG		Agate Grey (RAL 7038)										



Technical Assistance
 Middle East - +971 (4) 8118000
www.ecsglobalwire.com



D335-126015Yc

TECHNICAL DATA

Web Site: www.ecsglobalwire.com

Corporate Head Office: 3135 - 6900 Graybar Road, Richmond, BC V6W 0A5, Canada • Phone: +1(604)276-9913 Fax: +1(604)276-9915. For a listing of all ECS Global Wire & Cable's Sales Office locations, please refer to our web site.

Middle East Office: Jebel Ali Free Zone (South), Dubai, United Arab Emirates • Phone: +971 (4) 811 8000 Fax: +971 (4) 8809360. Enquires to datacomm@ecsglobalwire.com.

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ECS Global Wire & Cable reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting ECS Global Wire & Cable's Regional Head Office in the UAE.

June 2011 Original © 2011 ECS Global Wire & Cable. All Rights Reserved

