



D31x-hwdspfc

TECHNICAL DATA

Features & Benefits

- ✓ Frame Structure
- ✓ Max Loading of 60 KG
- ✓ Easy access side panels
- ✓ Top or bottom cable entry
- ✓ Wall or Floor mount Installable
- ✓ Optional casters and feet available for floor mount
- ✓ Optional 120mm Axial motor
- ✓ Available in 6U, 9U, 12U, 15U, 16U, 18U, 22U & 27U

Construction

- ✓ SPCC Quality cold rolled steel

Standards Compliance

- ✓ ANSI/EIA RS-310-D, IEC297-2, DIN41491; Part1, DIN41494; Part7, GB/T3047.2-92 Standard.
- ✓ Compatible with 19" international Standard and Metric Standard & ETSI.



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



Cabinet Wall Mount

Removable Side Panels with optional side panel lock



Cabinets Fans for Ventilation



Adjustable Mounting Rails



Cabinet Shelf



Switched 6-way PDU



Cable Entry Knockout



D31x-hwdspfc

TECHNICAL DATA

D	3	1	x	-	h	w	d	s	p	f	c
x					Pin assigned by ECS						
0-9					Inventory Management Index						
h						Height					
4						4U					
6						6U					
9						9U					
12						12U					
15						15U					
18						18U					
24						24U					
w						Width					
60						600					
d						Depth					
45						450					
51						515					
55						550					
60						600					
80						800					


 Technical Assistance
 Middle East - +971 (4) 8118000
www.ecsglobalwire.com


D31x-hwdspfc

TECHNICAL DATA

D	3	1	x	-	h	w	d	s	p	f	c
s						Number of Shelves					
0						no Shelves					
1						1 Shelf					
2						2 Shelves					
p						Number of PDU's					
0						no PDU					
1						1 x 6-Way PDU					
f						Fans					
0						No Fans					
2						2 Fans					
c						Color					
WT						White					
BK						Black					
GY						Grey					
BG						Beige					



Technical Assistance
 Middle East - +971 (4) 8118000
www.ecsglobalwire.com



D31x-hwdspfc

TECHNICAL DATA

Web Site: www.ecsglobalwire.com

Corporate Head Office: 3135 - 6900 Graybar Road, Richmond, BC V6W 0A5, Canada • Phone: +1(604)276-9913 Fax: +1(604)276-9915. For a listing of all ECS Global Wire & Cable's Sales Office locations, please refer to our web site.

Middle East Office: Jebel Ali Free Zone (South), Dubai, United Arab Emirates • Phone: +971 (4) 811 8000 Fax: +971 (4) 8809360. Enquires to datacomm@ecsglobalwire.com.

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ECS Global Wire & Cable reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting ECS Global Wire & Cable's Regional Head Office in the UAE.

June 2011 Original © 2011 ECS Global Wire & Cable. All Rights Reserved

