

8U Cabinet Wall-Mount ONT



Description

DME PROLINK's Optical Network Termination (ONT) Cabinet is designed and fabricated in accordance with global Service Provider requirements and conforms precisely to Du and Etisalat FTtx specifications.

The robust and durable design makes it easy to install and maintain.

Features & Benefits


- ✓Dimensions 8U x 400mm (H x W)
- ✓Depth of 120mm for Retails applications.
- ✓4 perforated entry-points on a removable Cable-entry plate.
- ✓Tempered Glass door with Steel side panels.
- ✓Adjustable Mounting Profile.
- ✓Ventilation Holes.
- ✓Aesthetic design.
- ✓Mechanical door-latch with lock
- ✓Inner-mount plate with Grid Mount.
- ✓12-port Built-in Empty Patch Panel

8U Cabinet Wall-Mount ONT


D335-084012YGY

TECHNICAL DATA

Side View




Isometric View



4 perforated entry-points on a removable Cable-entry plate



Mounting Plate and 12-port Empty patch panel



Lock



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



| D | 3 | 3 | 5 | - | H | W | D | L | C | |
|---|---|---|---|---|----------|---------------|---|---|---|--|
| | | | | | H | Height | | | | |
| | | | | | 08 | 8U (400mm) | | | | |
| | | | | | W | Width | | | | |
| | | | | | 400 | 400mm | | | | |
| | | | | | D | Depth | | | | |
| | | | | | 120 | 120mm | | | | |
| | | | | | L | Lock | | | | |
| | | | | | Y | With Lock | | | | |
| | | | | | N | Without Lock | | | | |
| | | | | | C | Color | | | | |
| | | | | | WT | White | | | | |
| | | | | | BK | Black | | | | |
| | | | | | GY | Grey | | | | |
| | | | | | BG | Beige | | | | |

D335-084012YGY

TECHNICAL DATA



Technical Assistance
Middle East - +971 (4) 8118000
www.ecsglobalwire.com



D335-084012YGY

TECHNICAL DATA

Web Site: www.ecsglobalwire.com

Corporate Head Office: 3135 - 6900 Graybar Road, Richmond, BC V6W 0A5, Canada • Phone: +1(604)276-9913 Fax: +1(604)276-9915. For a listing of all ECS Global Wire & Cable's Sales Office locations, please refer to our web site.

Middle East Office: Jebel Ali Free Zone (South), Dubai, United Arab Emirates • Phone: +971 (4) 811 8000 Fax: +971 (4) 8809360. Enquires to datacomm@ecsglobalwire.com.

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ECS Global Wire & Cable reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting ECS Global Wire & Cable's Regional Head Office in the UAE.

June 2011 Original © 2011 ECS Global Wire & Cable. All Rights Reserved

